

FOR IMMEDIATE RELEASE
March 13, 2008

Eisai Co., Ltd.
Sanko Junyaku Co., Ltd.
FUJIREBIO INC.

**Eisai and Sanko Junyaku introduce New *KL-6 Test Kits* for LUMIPULSE[®] Systems for
Detecting Marker of Interstitial Pneumonia**

Eisai Co., Ltd. (Headquarters: Tokyo, President and CEO: Haruo Naito) and its diagnostic subsidiary company Sanko Junyaku Co., Ltd. (Headquarters: Tokyo, President: Masao Jinbo) announced today the launch of LUMIPULSE[®] KL-6 EISAI and LUMIPULSE[®] PRESTO KL-6 EISAI, new KL-6 test kits that detects KL-6, a marker of interstitial pneumonia, using LUMIPULSE[®] systems. LUMIPULSE[®] systems are diagnostic equipments using an automated chemiluminescence enzyme immunoas

Contacts:		
Eisai Co., Ltd. Corporate Communications Department Tel: +81-(0)3-3817-5120	Sanko Junyaku Co., Ltd. Public Relations Attn: Nishina Tel: +81-(0)3-3865-4311	FUJIREBIO INC. Corporate Planning Department Tel: +81-(0)3-5695-9207

<Product Information>

Product Name	LUMIPULSE [®] KL-6 EISAI		LUMIPULSE [®] PRESTO KL-6 EISAI
Assay System	LUMIPULSE [®] <i>f</i>	LUMIPULSE [®] S	LUMIPULSE [®] Presto
Package	(42 tests) x2	(14 tests) x3	200 tests
List Price	71,400 yen	35,700 yen	170,000 yen
Intended Use	Measurement of sialylated carbohydrate antigen (KL-6) level in serum or plasma		
Manufactured by	FUJIREBIO INC.		
Marketed by	Sanko Junyaku Co., Ltd		
Marketing supported by	Eisai Co., Ltd.		

Solution and Calibrator sold separately

Product Name	LUMIPULSE [®] KL-6 EISAI		LUMIPULSE [®] PRESTO KL-6 EISAI
	Standard KL-6 Solution	KL-6 Calibrator	KL-6 Calibrator
Assay System	LUMIPULSE [®] <i>f</i>	LUMIPULSE [®] S	LUMIPULSE [®] Presto
Package	5 concentrations x1	3 concentrations x1	3 concentrations x1
List Price	30,800 yen	30,800 yen	30,800 yen
Manufactured by	FUJIREBIO INC.		
Marketed by	Sanko Junyaku Co., Ltd		
Marketing supported by	Eisai Co., Ltd.		

<Glossary>

Automated Chemiluminescence Enzyme Immunoassay System

An automated diagnostic equipment using chemiluminescence enzyme immunoassay (CLEIA) system for detecting and measuring minute substances in vivo.

Interstitial Pneumonia

Human lungs are made up of multiple, small grape-like structures called *alveoli*, where the exchange of oxygen and carbon dioxide takes place. Inflammation of alveoli causes pneumonia, which can be classified into two groups based on the region where the inflammation occurs: *interstitial pneumonia*, in which inflammation occurs in the walls of the alveoli (interstitium), and *alveolar pneumonia* (commonly-termed pneumonia), in which inflammation occurs in the airway between bronchi and alveoli. Differential diagnosis is required since treatment methods for these two types of pneumonia are different.

KL-6 (Sialylated Carbohydrate Antigen)

KL-6 is expressed on the surface of type II alveolar epithelial cells which consist of the walls of the alveolus (interstitium). In interstitial pneumonia, such type II alveolar epithelial cells are excessively formed and the KL-6 level increases. Measurement of serum KL-6 level is effective for the diagnosis of interstitial pneumonia since KL-6 extravasate into blood.